

















Risk Assessment form – Pictogram.




















Task	Laser Tag – General risk assessment			Issued (DD/MM/YYYY)	18 th September 2024	Assessment No.	ADW001
Client/ contract	The Activity Dome - Weston	Site address / location	Ground Floor, 17 North St, Weston-Super-Mare BS22 1QF				

People at risk	Employees	Older Workers	Public	Disabled	Contractor	Passers By	Young workers	Lone Worker	New or expectant mother	Shift Worker	Night Worker	Client Staff	Emergency Services	Other	Other	Other
Select	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			

Tick all relevant hazards boxes below - these illustrations are not exhaustive; where 'Other' is selected add a clear description in the 'Task specific hazard' description overleaf.

Slip / Trip Hazard	Manual Handling	Machinery	Falls from height	Contact with Electricity	Hazardous Substances	Vehicle	Verbal /Physical Assault	Noise / Dust	Confined Spaces	Open Water	Fire / Bomb Risk	Radiation	Bio-logical	Adverse Weather	Burns, Scalds, Vibration
															
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>						

Tick all items of mandatory Personal Protective Equipment (PPE) which has been identified in the risk assessment below - these illustrations are not exhaustive; where 'Other' is selected identify the PPE required and a specific description to your 'Control measures' overleaf and / or 'Method statement'.

Rubber Gloves	Hand Protection	Safety footwear	Head protection	Goggles	Safety Glasses	Ear Defender	Hair Net / Chef Hat	Overall	Hi-Visibility Clothing	Apron	White / Chef Coat	Half Respirator	Respirator	Dust Mask	Fume / Vapour Mask	Harness / Lanyards	Air Fed Helmet	Face Visor	Other Harness
																			<input checked="" type="checkbox"/>

Type of Premises: Tick all relevant premises boxes below - these illustrations are not exhaustive, where 'Other' is selected add a description.

Hotel	Garage	Food Chain	Retail	Healthcare	Park/ gardens	Leisure	Commercial	Transport	Gas	Water	Electric	Manufacturing	Building/ construction works	Private Sector	Solicitors	Warehousing	Office
						<input checked="" type="checkbox"/>											

Task specific / General Hazard(s)	Pre control Risk rating			Control measure(s)	Post control Risk rating		
	Likelihood	Severity	Rating		Likelihood	Severity	Rating
Slips, trips and falls	5	3	15	<ul style="list-style-type: none"> Monthly safety inspection of all arena floors to be carried out. Arena floor visually checked before the start of each game. Any lifts or tears to floor tiles are to be repaired or replaced asap before commencing a game. Group briefing to be held before the start of any game stressing the importance of not running through the arena. Marshals to be due diligent with monitoring the game play and enforcing the no running rule. Lose trip hazards to be actively removed from the arena upon finding. Adequate signage must be in place to advise of any steps or uneven flooring. Please mind the step signs are active in ALL areas where steps are located. In areas of darkness, any inclining or declining areas have handrails or similar in place to assist with walking. Lighting throughout to be periodically checked and repaired as reported. Any raised "stage areas" where applicable must have a dedicated access and egress point with handrail where applicable. Wet floor signs to be used in the event of any leak or spillage. In the event of leaking equipment, the area should be cordoned off and the equipment isolated. All access to roof areas appropriately sealed (in the event of fire escape, these are closed aa per the fire code regulations). Any windows are to remain closed or have "suicide straps" fitted to prevent purposeful or accidental falling from height. Where possible floor mats will be used in the event of wet weather conditions or regular floor cleaning to prevent the ingress of rain water creeping in. First aid kit to be located at arena entrance. EFAAW (First aider) to be on site at all times during game play. 	3	1	3
Being struck with a gun or other equipment (either accidentally or purposefully)	2	2	4	<ul style="list-style-type: none"> Before the start of any a game briefing will be conducted, the safety rule of zero violence will be stressed at this point. During the game if any violent behaviour is witnessed or reported the proven / alleged offender will be warned and removed if necessary. Approved Lazer tag PPE is provided and provides sufficient protection from related game play injury or harm. A waiver is completed before the commencement of any game to confirm or deny that the nature of the game will not affect the players health, any resulting accident or injury is nullified by the waiver. Marshals to remain due diligent during the game play actively monitoring behaviours of players and addressing any "rule breaking" accordingly. 	2	2	4

				<ul style="list-style-type: none"> • First aid kit to be located at arena entrance. • EFAAW (First aider) to be on site at all times during game play. 			
Falling items or being struck by moveable items within the arena.	1	3	3	<ul style="list-style-type: none"> • Monthly safety inspection of arena to be carried out paying particular attention to moveable / lose items. • Arena to be visually checked before the start of each game. • Any moveable / lose items that may cause harm to be repaired, replaced or removed asap before commencing a game. • During briefing before any game, it shall be mentioned not to move or use any lose items. • First aid kit to be located at arena entrance. • EFAAW (First aider) to be on site at all times during game play. 	1	2	2
Collisions between people & Dazzle	4	2	8	<p>Given the nature and adrenaline of the game, collisions are inevitable. The following measures are in place to reduce the harm.</p> <ul style="list-style-type: none"> • Pre-game brief, rules coincide with point one above (no running rule). • Marshals to be due diligent with monitoring the game play and enforcing the no running rule. • The arena area is naturally a poorly illuminated area, flashing / bright neon's are in use in the area at all times. A full brief is given to this respect before the start of any games and marshals are to be actively walking the arena to check for anyone that may appear dazed due to the lights. Marshals to carry a torch to assist in this respect, all arena lights can be switched on in the event of an emergency. • A waiver is completed before the commencement of any game to confirm or deny that the nature of the game will not affect the players health, any resulting accident or injury is nullified by the waiver. • First aid kit to be located at arena entrance. • EFAAW (First aider) to be on site at all times during game play. 	3	1	3
Injury due to fire	1	5	5	<ul style="list-style-type: none"> • All fire alarm monitors are in place and actively tested (fire drill) • All fire escape routes are kept free and clear and are clearly signposted. • All safety and firefighting equipment is checked regularly, maintained annually and is in good working condition. • Fire warden to be on site during active hours of operation • Flammable items / chemicals and other sources of combustion are stored and secured away. • Please see independent fire risk assessment and included articles around "electrical safety". 	1	3	3

				<ul style="list-style-type: none"> • All staff are trained in the evacuation procedure as part of the staff induction process, training repeated periodically to refresh. • First aid kit to be located at arena entrance. • EFAAW (First aider) to be on site at all times during game play. 			
Injury due to electrical contact	1	5	5	<ul style="list-style-type: none"> • All electronics are installed by a qualified electrician or someone with an electrical competence certificate (PAT Tested). • All portable appliances are inspected annually and are in good working condition. • No wiring accessible to the public. • Trailing cables are to be pinned back or appropriately covered. • All packs and charging points to be regularly checked by a senior member of staff for any points of electrical contact they may need repair or replacement. • Charging points and related cables regularly checked by a senior member of staff to ensure safe housing against the walls and that any cables are firmly affixed in place. • All plug sockets are firmly located in place and (blanked off) where not in use. • Any items that have not been safety checked (PAT tested) will be removed from site until such a time they are approved for use. • Any battery-operated items are suitably closed / sealed to avoid tamper. All batteries for related items are stored correctly. • Battery chargers / battery docking stations are periodically checked for damage and misuse with any faulty items removed (isolated) from use. • Wall mounted electronics (lights, cameras, signs etc) are periodically checked for security (mounting) and all relevant cables are not bunched (fire hazard) together and firmly affixed in place. • If secondary power extension is required, the relevant extension cable will be PAT tested and certified for its assigned use. Extension leads that are used will not exceed ONE additional socket (unless specified use if for an office area) to reduce the risk of overloading and concealed fire. • All low Trailing cables that are affixed to walls are periodically checked for scuffs and or cuts due to contact to footfall. Any cable(s) that appears to be damaged are isolated from use where possible or “made safe” by a qualified individual. • First aid kit to be located at arena entrance. • EFAAW (First aider) to be on site at all times during game play 	1	4	4
Appropriate Conduct	5	1	5	<ul style="list-style-type: none"> • All staff are trained on the company code of conduct policy as part of the staff induction procedure. • Any individuals who exhibit inappropriate behaviour will not be permitted access to site or be asked to leave. 	5	1	5

				<ul style="list-style-type: none"> Any individuals who are clearly under the influence or intoxicated beyond a level where the Managers feel they are safe, will not be permitted to partake in any activities. All areas of the site are adequately supervised by members of staff and CCTV at all times as far as is reasonably practicable. All games / events / activities are monitored by a relevant Marshal or supervisor. School groups & clubs etc must additionally assist with game supervision. Parents / guardians are accountable for the overall behaviour of their children and accept that Marshals may have to “step in” where appropriate to enforce the rules. 			
COSHH	5	5	25	<ul style="list-style-type: none"> All chemicals involved in the business are either stored in a locked cupboard or secured in place with lock and key. No unregistered chemicals to be used. A full COSHH data book is to be kept on site identifying all chemicals on site and the hazards or risk involved with their usage. Staff are adequately trained in the use of all required chemicals. Any cleaning materials are identified, marked and logged in the data folder and stored in the appropriate locked store. Appropriate PPE is on site for use by the relevant trained individuals as per the relevant COSHH data sheet. Contamination is being controlled by colour coded cleaning apparatus. First aid arrangements to be met as per the chemical data sheet relating to the chemicals in question. 	1	5	5

All players must read and agree to follow safety rules and sign the Waiver of Liability prior to participating in any Airsoft activities without exception. Any violation of the safety rules will result in mandatory ejection from the field and/or premises.

Assessors Statement:

Having reviewed the hazards and risks, the level of risk and the key risks, I believe that if the control measures identified are applied then The Activity Dome Weston will, so far as is reasonably practicable, have met the requirements of this assessment.


Date Completed
(DD/MM/YYYY)

20th September 2024

Print: Michael Tedd (IOSH)

Role: Authorised on behalf of The Activity Dome Weston, Acting Risk consultancy agent (IOSH) RAM Consult risk management.

Signature:



Assessment review due
(DD/MM/YYYY)



20th September 2025 (Solus agreement, any change and or amendment required will result in further agreed costs).

Risk matrix

		Risk Evaluation						Likelihood of Occurrence	
		5	10	15	20	25			
Potential Severity	Fatality	5	10	15	20	25	Fatality	Low	Improbable 1/1,000,000
	Very Serious	4	8	12	16	20	Permanent disability	Medium	Low 1/10,000
	Serious	3	6	9	12	15	Temporary disability, fractures, etc.	High	Medium 1/1,000
	Moderate	2	4	6	8	10	Injuries such as lacerations, strains, sprains		High 1/100
	Minor	1	2	3	4	5	Injuries such as cuts, bruising, etc.		Near Certainty 1/10
		Improbable	Low	Medium	High	Near Certainty			

Risk assessment / SSOW /plan/ method statement - Sign off sheet

Task	Lazer Tag – General Risk assessment	Issued (DD/MM/YYYY)	20 th September 2024	Assessment No.	ADW001
Client/ contract	The Activity Dome Weston	Site address / location	The Activity Dome Weston, Ground Floor, 17 North St, Weston-Super-Mare BS22 1QF		

Assessment completed	Annual Review	Annual Review
Location Manager Signature:  Assessor's Signature:  Date: 20 th September 2024	Location Manager Signature: Assessor's Signature: Date:	Location Manager Signature: Assessor's Signature: Date:

Review of the task and associated hazards is to be carried out annually.
All employees must receive initial, on the job and task specific training, this training shall be identified and recorded in the company's office / employee training log / Programme.

Declaration by employee involved in the activity detailed above

I fully understand the activity outlined above and the risk control measures, including any PPE that I must use.
 I have received sufficient information, instruction and training to enable me to conduct this activity with the minimum of risk to myself, or others.

Employee Name:	Signature:	Managers Name:	Date:	Employee Name:	Signature:	Managers Name:	Date:



